

Google scholar

structure node tree goods service attributes as Advanced Scholar Search Scholar Preferences

Scholar - Results 31 - 60 of about 1,000,000 results

[\[PDF\] The Prospero file system: A global file system based on the virtual system ...](#) psu,
BC Neuman - Computing Systems, 1992 - Citeseer

... a large system, there will be disagreement on what topics should appear near the top of the **tree**, and once ... We call the starting **node** the root of a virtual system. ... The **structure** of the Prospero directory server is similar to that in capability based systems, such as Amoeba [23] in that ...

Cited by 91 - Related articles - View as HTML - BL Direct - All 13 versions

[\[PDF\] Survey on image content analysis, indexing, and retrieval techniques and ...](#) psu,
Z Yang, CCJ Kuo - Tamkang Journal of Science and Engineering, 1999 - Citeseer

... **Good** examples of shapes from this class are trademarks, or the character set. ... as HyPursuit [101], where hypertext documents are clustered at different sites to **structure** the information ... Examples of image classifiers include the k-nearest neighbor, the decision **tree**, the Bayesian ...

Cited by 9 - Related articles - View as HTML - BL Direct - All 6 versions

[\[PDF\] Architecture for distributed multimedia database systems.](#) psu,
PB Berra, CYR Chen, A Ghafoor, CC Lin, TDC Little, ... - COMP. COMMUN., 1990 - Citeseer

... for example, **B-tree** for FDSM and multidimensional dynamic files for NSM. 2.2 Object Synchronization and Integration Requirements ... A database **structure** is developed at two levels. ... we may describe any **node** in the network graph as an equivalent Petri net place. Browsing ...

Cited by 76 - Related articles - View as HTML - All 4 versions

[Client/server database system with methods for improved soundex processing in a ...](#)

MG McKenna - US Patent 5,758,314, 1998 - Google Patents

... o TRta CO L 1 to _J o 1 1 1 O u_ CO CO o F/G. 10 Page 11. US Patent 5,758,314 May 26, 1998 Sheet 10 of 12 CS_TRANSFORM **STRUCTURE** 1111' 1112' He- liu- ms- 1116- 1117- 1118' 1119' 1120' 1121' 1122' CS_TRANSFORM — CSTF CSTF CSTF. CSTF. CSTF. ...

Cited by 6 - Related articles - All 2 versions

[\[PDF\] Extensibility in open, distributed hypertext systems](#) psu,

UK WIII - 1993 - Citeseer

... hypermedia, extensibility, notification control and versioning of both data and **structure** of hypertext. ... management itself using a compressed B-Tree package. ... there are several important differences: (1) Eggs does not interpret data contained in a **node**. ...

Cited by 6 - Related articles - View as HTML - All 7 versions

[\[PDF\] A Fault-Tolerance Linguistic **Structure** for Distributed Applications](#) psu,

V De Florio - 2000 - Citeseer

... expression of the fault-tolerance design concerns in the application layer of those distributed software systems that are characterised by soft real-time requirements and with a number of processing **nodes** known at ... 7.1.2 **Structure** and Contributions ... 2.1 The Dependability **Tree**

Cited by 16 - Related articles - View as HTML - All 7 versions

[Method and system for storing file system state information in multiple sectors ...](#)

JG Letwin - US Patent 5,873,118, 1999 - Google Patents

... Reserved Cluster pointer Cluster pointer Cluster pointer Last cluster mark Filename Extension File **Attribute** Reserved Time ... of EAs Usage Count Length of Name Name (1 - 254 Characters) B-Tree Pointer Flex ... Disk Call FS-Mount Entry in FSD I 570 Saf-t/p **Structure** for Mounted ...

[Cited by 10 - Related articles - All 2 versions](#)

[Engineering a Global Resolution Service](#)

psu.

EC Slottow - 1997 - portal.acm.org

... For example, the value of the (fictitious) directory ANSI/MIT/LCS/Slottow/Mailboxes is the child or children of this **node**, the mail-boxes that receive Slottow's email. ... The Replicator maintains a weakly consistent replicated directory **tree** of files. ... item's **structure**. ...

[Cited by 4 - Related articles - All 13 versions](#)

[Method and system for improving the contiguity of sectors of a file](#)

JG Letwin - US Patent 5,608,901, 1997 - Google Patents

... Cluster pointer Cluster painter Cluster pointer Last cluster mark Filename Extension File **Attribute** Reserved Time ... 4,1997 Sheet 8 of 17 File Fnode Allocation **Structure**⁴, 546 540 Sector Run 1 ... of EAs Usage Count Length of Name Name (1 - 254 Characters) B-Tree Pointer Flex ...

[Cited by 6 - Related articles - All 2 versions](#)

[\[PDF\] A file system for mobile computing](#)

psu.

CD Tait - 1993 - Citeseer

... 85 4.4 Miss Rates following **Tree** Prefetches ... a specified file. Some sort of directory **structure** is usually supported so that files ... In a distributed operating system, however, the design and implementation of a **good** file system are singularly difficult problems. ...

[Cited by 31 - Related articles - View as HTML - All 13 versions](#)

[A cluster-based approach for routing in dynamic networks](#)

kfup

P Valdya, M Chatterjee, DK ... - ACM SIGCOMM ..., 1997 - eprints.kfupm.edu.sa

... In a loop-free 2 route, the path from one host to another does not traverse the same **node** twice. ... In an environment of frequent topological change, a 'good' route's length is comparable to the ... Each host maintains a data-**structure** describing the network topology and some routing in ...

[Cited by 21 - Related articles - View as HTML - All 2 versions](#)

[\[PDF\] Design and implementation of the portable object adapter](#)

fpx.de

F Pilhofer - Sulimma, Frankfurt, 1999 - fpx.de

... In fact, PVM is a **good** demonstration of why an abstraction of a component's interface ... running under the control of the ERLANG kernel, which must be running on all **nodes**. ... provides both simple types like octets or integers, and complex types like **structures**, enumerations or ...

[Cited by 6 - Related articles - View as HTML - All 5 versions](#)

[Method and system for optionally registering a local process to allow participation ...](#)

ER Carpenter, CS Claussen, JO Cox - US Patent 5,544,316, 1996 - Google Patents

... This allows the ability to cause processes to be distributed based on machine type, facilities available on a specific **node** or load balancing considerations. ... 166-167. "Software **Services** Factory", IBM TDB, vol. ... 6, 1996 Sheet 18 of 28 5,544,316 (Start Create Directory **Structure**

[Cited by 24 - Related articles - All 2 versions](#)

[\[PDF\] A self-configuring and self-administering name system](#)

psu.

ML Feng - 2000 - Citeseer

... 2.2.1 - The Name Space The name space for the Internet is a variable-depth, inverted **tree structure** similar ... 3]. At the top is the root **node**, and each **node** is also the root of a new subtree of the overall **tree**. Each **node** represents a part of the ...

[Cited by 2 - Related articles - View as HTML - All 8 versions](#)

[Parallel Data Mining for Association Rules on Shared-Memory Multi-Processors](#)

W Li, MJ Zaki, M Ogihara, S Parthasarathy - 1996 - Storming Media

... The general **structure** of the algorithm is given in figure 1, and a brief discussion of each step is given below (for details on its performance characteristics, we refer the reader to [4]). In the ...

A further optimization is to associate a VISITED flag with each **node** in the hash **tree**. ...

Related articles

Object-oriented, logic, and database programming tool with garbage collection

FH Mellender, AG Straw, SE Riegel - US Patent 4,989,132, 1991 - Google Patents

... as logic terms in the logic programming language system, and logic terms and objects are stored in the database in a common data **structure** format ... 66 ^-68 0 0 0 1 A CONTEXT^ 1 1 2 2 3 3 G -^70 ' -^TOP OF STACK ^^^ ^* REGION # j TO THIS CI **ASSIGNED** 3NTEXT LEGEND ...

Cited by 67 - Related articles - All 2 versions

[PS] A plug-and-play approach with distributed computing alternatives for network ...

SK Raza - 1999 - sce.carleton.ca

... I would like to thank Dr. Andrzej Biesczad who originally suggested the research topic. Working with him had been a **good** and rewarding experience. ... 47 Figure 3.5 Hierarchical naming **structure** for **services** 54 ... LUS Lookup **Service** MA **Mobile** Agent ...

Cited by 8 - Related articles - View as HTML - All 2 versions

carl

Active properties for dynamic system configuration

K Petersen, JP Dourish, WK Edwards, AG Lamarca, JO ... - 2000 - freepatentsonline.com

... For example, the character string D:\T**REE**\LIMB\BRANCH\TWIG\LEAF.FIL could describe the ... to control the access to documents, with access controls placed at every **node** of the ... for a particular principal, and are not necessarily equivalent to the organizational **structure** of the ...

Related articles - All 2 versions

[PDF] VRML Generation tools for visualization of database content in three ...

C Morcrette - 1999 - Citeseer

... (material) red. The same is done for the blue cube except that a rotation **node** is added. 1.4 – Java ... Page 19. 19 Figure 3 - The Cone **Tree** visualization on a file system hierarchy An example application of the Cone **Tree** is an organizational **structure** browser. Search is ...

Cited by 4 - Related articles - View as HTML - All 8 versions

psu.

[PDF] Aspects of Integration of Heterogenous Server Systems in Intranets-The ...

C Dallermassl - IICM (Institute for Information Processing and Computer ..., 1999 - Citeseer

... 54 5.2.2 Dino V2/V3 - **Tree** Model 55 5.2.3 Dino V4 A Dino **Node** provides all functionality necessary to work with the embedded objects in the given context.

This includes but is not limited to **structure** and content ...

Cited by 4 - Related articles - View as HTML - All 10 versions

psu.

Intelligent query system for automatically indexing information in a database and ...

BL Hazlehurst, SM Burke, KE Nybakken - US Patent 5,974,412, 1999 - Google Patents

... Information Retrieval, Data **Structures** & Algorithms, edited by William B. Frakes, Software Engineering ... and feed documents to those collators which provide a **good** fit for the ... 82 PROFILE DATA STORAGE (USER TANK) -108 88 112 QUERY **SERVICE** (LIAISONS) KNOWLEDGE ...

Cited by 44 - Related articles - All 2 versions

System and method for selective database indexing

M Tenorio, M Chinnappan - US Patent App. 09/745,980, 2000 - Google Patents

... The product data is cached or otherwise stored at one or more **nodes** in a network, such ... Therefore, a product class listed at the end of a branch of the **tree structure** includes all of ... GCD 42 may integrate the product data resulting from the search into directory **structure** 44 so that ...

Cited by 3 - Related articles - All 6 versions

ittc

[PDF] An Ambient Computing System

JM Davis - 1998 - ittc-ku.net

... those **nodes**. A CORBA implementation may be a bit heavyweight, especially in cases ... a lower

ittc

priority. LDAP is a popular choice for providing directory **services**, so an ... above abilities, **good** overall recognition accuracy, and a Java API [15] to control it. 2.2.4 IEEE 802.11b ...

Related articles - View as HTML - All 7 versions

[The simple virtual environment library: an extensible framework for building VE ...](#)

psu.

GD Kessler, DA Bowman, LF Hodges - *Presence: Teleoperators & ...*, 2000 - MIT Press
... required modules designed for specific subtasks of the application, and through providing a **structure** to the ... In short, one can think of a **node** in the graph as representing a rigid geometry that is ... on a desktop monitor), as the origins of all objects in the user **tree** generally are at ...

Cited by 77 - Related articles - All 13 versions

[\[BOOK\] The LOCUS distributed system architecture](#)

G Popk, BJ Walker - 1986 - books.google.com

... 3-5a: Pathname **Tree** Before Mounting Filegroup 10 39 Figure 3-5b: Pathname **Tree** After Mounting ... 10 39 Figure 3-6: Open Protocol 43 Figure 3-7a: Data **Structures** For An ... **location** transparency in an efficient way, without significant system overhead to find the **nodes** storing the ...

Cited by 247 - Related articles - All 7 versions

[Hierarchical testing environment](#)

ER Carpenter, GS Claussen, JO Cox - US Patent 5,421,004, 1995 - Google Patents

... TDB, vol. 17, #11, Apr. 1975, pp. 3292-3297. M. Babb, "New System Integrated Testing", *Control Engineering*, Apr. 1985, pp. 166-167. "Software **Services** Factory", IBM TDB, vol. 19, #2, Jul. 1976, pp. 714-735. KF Donnelly et ...

Cited by 24 - Related articles - All 2 versions

[\[PS\] Bell Labs Research, 600 Mountain Ave., Murray Hill, NJ 07974 \(Received 31 ...](#)

unin

J Freire, D Lieuwen, J Ordille - *Information Systems*, 1994 - dis.uniroma1.it

... LDAP's hierarchical **structure** makes LDAP directories very scalable | it is straightforward to move arbitrary sub-trees ... For example, the Iter cn=Mark* in a subtree search over the LDAP **tree** of Figure ... commands are to create or delete a single leaf **node** or to modify a single **node** ...

Related articles - View as HTML - All 3 versions

[Making Concurrent Programming Easy](#)

nd.e

AG Yoder, DL Cohn - 1993 - dspace-prod.library.nd.edu

... environment) the entire block and all its subblocks, down to the leaf cells of the hierarchy **tree** are also ... Graphs are the familiar arc/**node** constructs from graph theory. ... track of the execution times of cell blocks on a hierarchical basis: blocks (which correspond to **structures**) are not ...

Cited by 1 - Related articles - View as HTML - All 7 versions

[Reservoir formation facies identification using decision **tree** learning.](#)

khup

SAA Al-Faraj - 1998 - eprints.kfupm.edu.sa

... phase 30 3.3 Basic **structure** of neural network 32 3.4 A simple decision **tree** 37 3.5 An illustration of recursive algorithm of DT ... 41 3.6 File defining labor-neg classes and **attributes** (labor-neg.names) 50 3.7 A snapshot of the labor-neg. ...

Cited by 1 - Related articles - All 3 versions

[\[PDF\] Consistency Checking of Heterogeneous Distributed Documents](#)

psu.

T Revheim - Master's Thesis, UCL, 2000 - Citeseer

... Finally I would like to thank Geir Prestegård for **good** company during my stay and as a valuable discussion partner for topics concerning both my thesis ... Because of different responsibilities or roles **assigned** to the actors, the perspectives they have will be partial or incomplete. ...

Cited by 1 - Related articles - View as HTML - All 3 versions

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [Next](#)

structure node tree goods service at [Search](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google